L	Hits	Search Text	DB .	Time stamp
Number	\mathcal{L}	<u> </u>		0004/00/10
-		"20010042043").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:01
-	9	<pre>(ad<20000901 and ((disk disc medium) near ("ID" identification identif\$3)) and (authenticat\$3 same server) and (server)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/24 13:14
-	94	<pre>same (session adj key)) @ad<20000901 and 705/58.ccls.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:06
<u>-</u>	88	(@ad<20000901 and 705/58.ccls.) and ("ID" identification identif\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:06
_	4	((@ad<20000901 and 705/58.ccls.) and ("ID" identification identif\$3)) and (authenticat\$3 same server)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:12
-	(, 6	((@ad<20000901 and 705/58.ccls.) and ("ID" identification identif\$3)) and ((authenticat\$3 licens\$3) near2 server)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:14
-	783	licens\$3 near2 server	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:14
_	503	licens\$3 adj server	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:15
_	178	(licens\$3 adj server) and @ad<20000901	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/18 11:15
-	11	(licens\$3 adj server) and @ad<20000901) and ((disk disc medium) near ("ID" identification identif\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/18 15:02
-	24	("4529870" "4658093" "4924378" "4932054" "4937863" "4953209" "4961142" "4977594" "5010571" "5014234" "5023907" "5047928" "5050213" "5058164" "5103476" "5113519" "5146499" "5159182" "5191193" "5204897" "5247575"	USPAT	2004/03/18 11:18
-	906	"5291596" "5339091" "5532920").PN. secure near drive	USPAT; US-PGPUB; EPO; JPO;	2004/03/18 15:03
_	3	(secure near drive) and ((disk disc medium) near ("ID" identification identif\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/29 09:30
-	0	((secure near drive) and ((disk disc medium) near ("ID" identification identif\$3))) and @ad<20000901	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/18 15:04
-	10	(secure near2 drive) and ((disk disc medium) near ("ID" identification identif\$3))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/18 15:04
-	4962	"10" and @ad<20000901	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/18 . 15:09

•				
-	6	(secure near2 drive) and ((disk disc	USPAT;	2004/03/18
	()	medium) near ("ID" identification	US-PGPUB;	15:09
		identif\$3))) and @ad<20000901	EPO; JPO;	
			IBM_TDB	
-	38	713/202,193,165.ccls. and	USPAT;	2004/03/18
	_	705/55,56,58.ccls.	US-PGPUB;	15:24
	, , , , , , , , , , , , , , , , , , ,		EPO; JPO;	
	/ 25), Table (200 100 105 1	IBM_TDB	0004/00/10
-	(35	/(713/202,193,165.ccls. and	USPAT;	2004/03/18
		705/55,56,58.ccls.) and @ad<20000901	US-PGPUB; EPO; JPO;	15:21
			IBM TDB	
1_	53	713/200,193,165.ccls. and	USPAT;	2004/03/18
-	33	705/55,56,58.ccls. and @ad<20000901	US-PGPUB;	15:24
		703733730,30.CC13. and Gad 20000301	EPO; JPO;	13.24
			IBM TDB	
<u></u>	15	(713/200,193,165.ccls. and	USPAT;	2004/03/18
'		705/55,56,58.ccls. and @ad<20000901) and	US-PGPUB;	15:31
		server	EPO; JPO;	
			IBM TDB	
_	1	("6499106").PN.	USPAT;	2004/03/18
	_	<u> </u>	US-PGPUB;	15:56
			EPO; JPO;	
			IBM_TDB	
-	196	(oak and technology).as.	USPĀT;	2004/03/18
			US-PGPUB;	15:32
			EPO; JPO;	
			IBM_TDB	
-	102	(oak and technology).as. and (disk)	USPAT;	2004/03/18
			US-PGPUB;	15:32
			EPO; JPO;	
			IBM_TDB	
-	101	("oak technology").as. and (disk)	USPAT;	2004/03/18
			US-PGPUB;	15:36
			EPO; JPO;	
	(22)	("oak technology").as. and (disk) and key	IBM_TDB USPAT;	2004/03/18
_	23	("oak technology").as. and (disk) and key	US-PGPUB;	15:33
			EPO; JPO;	15.55
			IBM TDB	
_	/14	(("oak technology").as. and (disk) and	USPAT;	2004/03/18
	()	key) and @ad<20000901	US-PGPUB;	15:33
			EPO; JPO;	
			IBM TDB	
-	6	("oak technology").as. and (encrypt\$3	USPAT;	2004/03/18
	(/	enc?pher\$3)	US-PGPUB;	15:37
1			EPO; JPO;	
			IBM_TDB	
-	831	griswold.in.	USPAT;	2004/03/18
			US-PGPUB;	15:57
			EPO; JPO;	
	1	No. 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	IBM_TDB USPAT;	2004/03/19
-	/ 3	griswold.in. and license	USPAT; US-PGPUB;	2004/03/18 15:57
		ſ	EPO; JPO;	15.57
		N	IBM TDB	
_	/ 20)5940504.URPN.	USPAT	2004/03/18
	(2))		15:58
_	47	@ad<20000901 and "digital rights	USPAT;	2004/03/24
]	management"	US-PGPUB;	13:32
			EPO; JPO;	
			IBM_TDB	
-	35	(@ad<20000901 and "digital rights	USPAT;	2004/03/24
		management") and server and ((storage adj	US-PGPUB;	13:15
		medium) disk disc DVD CD CD-ROM CDROM)	EPO; JPO;	
			IBM_TDB	
-	34	((@ad<20000901 and "digital rights	USPAT;	2004/03/24
		management") and server and ((storage adj	US-PGPUB;	13:18
		medium) disk disc DVD CD CD-ROM CDROM))	EPO; JPO;	
L		and \$crypt\$3	IBM_TDB	

-	1	("5,247,575").PN.	USPAT; US-PGPUB;	2004/03/24 13:18
	İ		EPO; JPO; IBM_TDB	
-	255	@ad<20000901 and 705/57.ccls.	USPAT; US-PGPUB;	2004/03/24
			EPO; JPO;	
_	33	(@ad<20000901 and 705/57.ccls.) and ((cd	IBM_TDB USPAT;	2004/03/24
		cdrom cd-rom dvd disk disc ((storage portable) adj medium)) near (identif\$4	US-PGPUB; EPO; JPO;	13:34
		dentification ID))	IBM_TDB	0004/00/04
-	34	/(@ad<20000901 and 705/57.ccls.) and ((cd cdrom cd-rom dvd disk disc ((storage	USPAT; US-PGPUB;	2004/03/24 13:35
		portable) adj medium)) near (identif\$4 identification ID (serial adj number)))	EPO; JPO; IBM TDB	
-	9	((@ad<20000901 and 705/57.ccls.) and ((cd	USPĀT;	2004/03/24
		<pre>/cdrom cd-rom dvd disk disc ((storage portable) adj medium)) near (identif\$4</pre>	US-PGPUB; EPO; JPO;	13:46
		identification ID (serial adj number)))) and server	IBM_TDB	
-	9	(((@ad<20000901 and 705/57.ccls.) and	USPAT; US-PGPUB;	2004/03/24
		((cd cdrom cd-rom dvd disk disc ((storage portable) adj medium)) near (identif\$4	EPO; JPO;	13.47
	istle.	identification ID (serial adj number)))) and server) and key	IBM_TDB	
-	title sammed 47	@ad<20000901 and 705/57.ccls. and (encrypt\$3 near2 key) and server	USPAT; US-PGPUB;	2004/03/24
	Salling	(energypeys hears weg, and bester	EPO; JPO;	
-	8) ("5319705" "5440631" "5509070"	IBM_TDB USPAT	2004/03/24
		"5636277" "5727215" "5864620" "6005935" "6049671").PN.		14:08
-	108	@ad<20000901 and 705/57.ccls. and	USPAT; US-PGPUB;	2004/03/24
		713/\$.ccls.	EPO; JPO;	11.20
_	\int_{3}	 @ad<20000901 and 705/57.ccls. and	IBM_TDB USPAT;	2004/03/25
		713/171.ccls.	US-PGPUB; EPO; JPO;	08:53
		0 1,000,000 and 705 (57 and and	IBM_TDB USPAT;	2004/03/25
-	0	@ad<20000901 and 705/57.ccls. and 713/171.ccls. and copyright and (key near	US-PGPUB;	11:29
		regist\$5)	EPO; JPO; IBM TDB	
-	432	@ad<20000901 and (document near	USPAT; US-PGPUB;	2004/03/25 08:59
		distribut\$3) and (key)	EPO; JPO;	
_	21		IBM_TDB USPAT;	2004/03/25
		distribut\$3 near2 server) and (key)	US-PGPUB; EPO; JPO;	08:59
		(#4405920# #4022054# #4027504#	IBM_TDB USPAT	2004/03/25
-		("4405829" "4932054" "4977594" "5136646" "5136647" "5247575"	USERI	09:36
		"5771291" "6088451" "6104679" "6134324" "6192405").PN.		
-	0	6636966.URPN.	USPAT	2004/03/25
-	7	("4386233" "5337357" "5912969"	USPAT	2004/03/25
		"6002772" "6098053" "6249866" "6471068").PN.		
-	11	("4405829" "4932054" "4977594" "5136646" "5136647" "5247575"	USPAT	2004/03/25 09:48
		"5771291" "6088451" "6104679" "6134324" "6192405").PN.		
-	11	("4405829" "4932054" "4977594"	USPAT	2004/03/25
		"5136646" "5136647" "5247575" "5771291" "6088451" "6104679"		09:48
L		"6134324" "6192405").PN.	<u> </u>	

•			_	
-	8	(("5734719") or ("6226618") or ("6574609") or ("6345256") or ("6398245")	USPAT; US-PGPUB;	2004/03/25
		or ("6587837") or ("6611812") or	EPO; JPO;	10:01
1	_	("20020107803")).PN.	IBM_TDB	
-	0	@ad<20000901 and 705/57.ccls. and	USPAT; US-PGPUB;	2004/03/25 15:24
		713/171.ccls. and ((associat\$3 match\$3) near3 (disc disk cd software data	EPO; JPO;	15:24
		content) near3 (user userid	IBM TDB	
		identification))	151155	
	17	bellare.in.	USPAT;	2004/03/25
			US-PGPUB;	15:24
			EPO; JPO;	
	(12)	bellare.in. and @ad<20000901	IBM_TDB USPAT;	2004/03/25
-	$\binom{12}{}$	bellare.in. and Gad(20000901	US-PGPUB;	15:39
			EPO; JPO;	10.05
			IBM TDB	
-	364	713/153.ccls.	USPĀT;	2004/03/25
			US-PGPUB;	15:39
			EPO; JPO;	
]_	172	713/153.ccls. and @ad<20000901	IBM_TDB USPAT;	2004/03/25
-	1/2	/13/133.0013. and gad\20000301	US-PGPUB;	15:55
			EPO; JPO;	
			IBM_TDB	
-	15242	@ad<20000901 and ((peripheral drive	USPAT;	2004/03/25
ļ .		device) near2 (secure))	US-PGPUB; EPO; JPO;	15:56
			IBM TDB	
1_ 1	18	@ad<20000901 and ((peripheral drive	USPAT;	2004/03/25
	[10]	device) near2 (secure) near2 session)	US-PGPUB;	16:00
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
	_		IBM_TDB	0004/00/05
-	3	"1166199"	USPAT; US-PGPUB;	2004/03/25 16:00
			EPO; JPO;	10.00
			IBM TDB	
_	: 10	"1166199"	USPAT;	2004/03/25
			US-PGPUB;	16:00
			EPO; JPO;	
			DERWENT; IBM TDB	
	o	((disc disk) adj drive) near2 (session	USPAT;	2004/03/29
-		adj key)	US-PGPUB;	09:30
			EPO; JPO;	
			IBM_TDB	
] -	21	((disc disk) adj drive) same (session adj	USPAT;	2004/03/29
		key)	US-PGPUB; EPO; JPO;	09:30
			IBM TDB	
-	/17	@ad<20000901 and (((disc disk) adj drive)	USPAT;	2004/03/29
		same (session adj key))	US-PGPUB;	09:31
			EPO; JPO;	
			IBM_TDB USPAT;	2004/03/29
-	(9/	@ad<20000901 and (((disc disk) adj drive) same (session adj key)) and (server)	USPAT; US-PGPUB;	09:31
		same (session and vell) and (server)	EPO; JPO;	
			IBM_TDB	
-	40	@ad<20000901 and (stream\$3 near2 (content	USPAT;	2004/03/29
1		audio video) near2 encrypted)	US-PGPUB;	09:32
	/ / -	k	EPO; JPO; IBM TDB	
_	/ 18		USPAT;	2004/03/29
	(10 /	audio video) near2 encrypted) and	US-PGPUB;	10:00
		(eavesdrop\$4 intercept\$3)	EPO; JPO;	
			IBM_TDB	0004/02/22
-	40	• · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/29
		audio video) near2 encrypted)	US-PGPUB; EPO; JPO;	10:01
1			IBM_TDB	
L	<u> </u>	<u></u>	1	L

		\		
-	(4	@ad<20000901 and (stream\$3 near2 (content	USPAT;	2004/03/29
	\	/audio video) near2 encrypted) same	US-PGPUB;	10:02
1		protect\$3	EPO; JPO;	
1			IBM_TDB	
-	29	@ad<20000901 and (stream\$3 near2	USPAT;	2004/03/29
]		encrypted) same protect\$3	US-PGPUB;	10:16
			EPO; JPO;	
ì			IBM_TDB	
-	1	("6636966").PN.	USPAT;	2004/03/29
			US-PGPUB;	10:16
			EPO; JPO;	
			IBM_TDB	
-	1	(("6636966").PN.) and packet and key	USPAT;	2004/03/29
			US-PGPUB;	10:21
			EPO; JPO;	
			IBM_TDB	
-	1	(("6636966").PN.) and (??crypt\$3 near	USPAT;	2004/03/29
		packet)	US-PGPUB;	10:22
			EPO; JPO;	
			IBM_TDB	